



# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 3/17/2023 Version: 1.2000000000000002

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Trade name	: Hexane-(n) a.r.
EC Index-No.	: 601-037-00-0
EC-No.	: 203-777-6
CAS-No.	: 110-54-3
REACH registration No.	: 01-2119480412-44
Product code	: CL00.0802
Type of product	: Pure substance
Formula	: C6H14
Synonyms	: dipropyl / gettysolve-B / hex (=normal-hexane) / hexane- / hexane, anhydrous / hexane, pure grade / hexyl hydride / high purity normal hexane / n-caproylhydride / n-hexane / n-hexyl hydride / normal-caproyl hydride / normal-hexane / normal-hexyl hydride / skellysolve B / solvent hexane
BIG No	: 10918

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemical

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Chem-Lab nv  
Industriezone 'De arend 2'  
Zedelgem – Belgium  
Belgium  
T +32 50 288320  
[info@chem-lab.be](mailto:info@chem-lab.be) - <https://www.chem-lab.be>

#### 1.4. Emergency telephone number

Emergency number : +32 50 28 83 20

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Reproductive toxicity, Category 2	H361f
Aspiration hazard, Category 1	H304
Specific target organ toxicity – Repeated exposure, Category 2	H373
Skin corrosion/irritation, Category 2	H315
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

Full text of H- and EUH-statements: see section 16

Specific concentration limits:

( 5 ≤ C < 100)

STOT RE 2, H373

##### Adverse physicochemical, human health and environmental effects

No additional information available

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

Hazard statements (CLP)

Precautionary statements (CLP)

- : Danger
- : H225 - Highly flammable liquid and vapour.  
H361f - Suspected of damaging fertility.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.  
H373 - May cause damage to organs (nervous system) through prolonged or repeated exposure (if inhaled).
- : P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
P240 - Ground and bond container and receiving equipment.  
P273 - Avoid release to the environment.  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P331 - Do NOT induce vomiting.  
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.  
P403+P235 - Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Substance type : Mono-constituent

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexane-(n) a.r.	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412-44	100	Flam. Liq. 2, H225 Repr. 2, H361f Asp. Tox. 1, H304 STOT RE 2, H373 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Hexane-(n) a.r.	CAS-No.: 110-54-3 EC-No.: 203-777-6 EC Index-No.: 601-037-00-0 REACH-no: 01-2119480412-44	( 5 ≤C < 100) STOT RE 2, H373

Full text of H- and EUH-statements: see section 16

### 3.2. Mixtures

Not applicable

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.
First-aid measures after inhalation	: Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.
First-aid measures after skin contact	: If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.
First-aid measures after eye contact	: Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.
First-aid measures after ingestion	: Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: EXPOSURE TO HIGH CONCENTRATIONS: Nausea. Headache. Dizziness. Disturbances of consciousness. Central nervous system depression. Narcosis. Drunkenness. Drowsiness.
Symptoms/effects after skin contact	: Tingling/irritation of the skin.
Symptoms/effects after eye contact	: No effects known.
Symptoms/effects after ingestion	: Nausea. Vomiting. Risk of aspiration pneumonia. Symptoms similar to those listed under inhalation.
Chronic symptoms	: Feeling of weakness. Loss of weight. Dry skin. Disturbed tactile sensibility. Movement disturbances. Myasthenia. Cramps/uncontrolled muscular contractions. Paralysis. Gastrointestinal complaints. Loss of appetite. Visual disturbances.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Quick-acting ABC powder extinguisher. Quick-acting BC powder extinguisher. Quick-acting class B foam extinguisher. Quick-acting CO <sub>2</sub> extinguisher. Class B foam (not alcohol-resistant).
Unsuitable extinguishing media	: Water (quick-acting extinguisher, reel); risk of puddle expansion. Water; risk of puddle expansion.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD: Highly flammable liquid and vapour. Gas/vapour flammable with air within explosion limits. INDIRECT FIRE HAZARD: May be ignited by sparks. May build up electrostatic charges: risk of ignition.
Explosion hazard	: DIRECT EXPLOSION HAZARD: Gas/vapour explosive with air within explosion limits. INDIRECT EXPLOSION HAZARD: may be ignited by sparks.
Hazardous decomposition products in case of fire	: Upon combustion: CO and CO <sub>2</sub> are formed.

#### 5.3. Advice for firefighters

Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Do not move the load if exposed to heat. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.
Protection during firefighting	: Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves (EN 374). Protective goggles (EN 166). Head/neck protection. Protective clothing (EN 14605 or EN 13034). Large spills/in enclosed spaces: self-contained breathing apparatus (EN 136 + EN 137). Large spills/in enclosed spaces: gas-tight suit (EN 943).
- Emergency procedures : Keep upwind. Mark the danger area. Consider evacuation. Close doors and windows of adjacent premises. Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Keep containers closed. Wash contaminated clothes.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply. Dam up the liquid spill. Try to reduce evaporation. Measure the concentration of the explosive gas-air mixture. Dilute/disperse combustible gas/vapour with water curtain. Provide equipment/receptacles with earthing. Do not use compressed air for pumping over spills.
- Methods for cleaning up : Take up liquid spill into inert absorbent material. Take up liquid spill into a non combustible material e.g.: sand/earth or kieselguhr. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Damaged/cooled tanks must be emptied. Do not use compressed air for pumping over spills. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Measure the concentration in the air regularly. Work under local exhaust/ventilation. Comply with the legal requirements. Clean contaminated clothing. Keep container tightly closed. Handle uncleaned empty containers as full ones. Do not discharge the waste into the drain. Do not use compressed air for pumping over.
- Hygiene measures : Observe strict hygiene.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage temperature : 20 °C
- Heat and ignition sources : KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
- Information on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents.
- Storage area : Meet the legal requirements. Keep container in a well-ventilated place. Fireproof storeroom. Provide for a tub to collect spills. Provide the tank with earthing.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
- Packaging materials : SUITABLE MATERIAL: steel. stainless steel. aluminium. iron. copper. bronze. polyethylene. polypropylene. glass.

#### 7.3. Specific end use(s)

No additional information available

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Hexane-(n) a.r. (110-54-3)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	72 mg/m <sup>3</sup>
IOEL TWA [ppm]	20 ppm
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	72 mg/m <sup>3</sup>
OEL TWA [ppm]	20 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	72 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	20 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-8u (OEL TWA)	72 mg/m <sup>3</sup>
TGG-8u (OEL TWA) [ppm]	20 ppm
TGG-15min (OEL STEL)	144 mg/m <sup>3</sup>
TGG-15min (OEL STEL) [ppm]	40 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	72 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	20 ppm
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	50 ppm

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

Hexane-(n) a.r. (110-54-3)	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	11 mg/kg bw/day
Long-term - systemic effects, inhalation	75 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	4 mg/kg bw/day
Long-term - systemic effects, inhalation	16 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	5.3 mg/kg bw/day

##### 8.1.5. Control banding

No additional information available

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Protective goggles (EN 166)

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Protective clothing (EN 14605 or EN 13034). Head/neck protection

###### Hand protection:

Protective gloves against chemicals (EN 374)

###### Other skin protection

###### Materials for protective clothing:

Excellent resistance: Nitrile rubber. Polyvinylalcohol (PVA). Tetrafluoroethylene. Viton. Poor resistance: Butyl rubber. Natural rubber. neoprene (chloroprene rubber). Polyethylene. Polyvinylchloride (PVC). Styrene-butadiene rubber

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.
Molecular mass	: 86.18 g/mol
Odour	: Petroleum-like odour. Mild odour.
Odour threshold	: Not available
Melting point	: -95 °C (1013 hPa)
Freezing point	: Not available
Boiling point	: 69 °C (1013 hPa)
Flammability	: Not available
Explosive limits	: 1.1 – 7.5 vol %
Lower explosion limit	: 1.1 vol %
Upper explosion limit	: 7.5 vol %
Flash point	: -22 °C (1013 hPa)
Auto-ignition temperature	: 280 °C (1013 hPa, T3)
Decomposition temperature	: No data available in the literature
pH	: 7 (< 0.01 %, 25 °C)
Viscosity, kinematic	: No data available in the literature
Viscosity, dynamic	: 0.3 mPa.s (25 °C)

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Solubility	: Insoluble in water. Substance floats in water. Soluble in ethanol. Soluble in ether. Soluble in acetone. Soluble in chloroform. Soluble in oils/fats. Water: 0.001 g/100ml (25 °C) Ethanol: soluble Ether: soluble Acetone: soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: 4 (Experimental value, Equivalent or similar to OECD 107, 20 °C)
Vapour pressure	: 100 hPa (9.8 °C)
Vapour pressure at 50°C	: Not available
Critical pressure	: 30120 hPa
Saturation concentration	: 566 g/m <sup>3</sup>
Density	: 661 kg/m <sup>3</sup> (25 °C)
Relative density	: 0.66 (25 °C)
Relative vapour density at 20°C	: 3 (Calculated)
Relative density of saturated gas/air mixture	: 1.3
Particle characteristics	: Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Explosion limits	: 1.1 – 7.5 vol %
Critical temperature	: 234 °C

### 9.2.2. Other safety characteristics

Minimum ignition energy	: 0.24 mJ
Relative evaporation rate (butylacetate=1)	: > 10
Relative evaporation rate (ether=1)	: 1.3
Specific conductivity	: < 0.01 pS/m
VOC content	: 100 %
Other properties	: Gas/vapour heavier than air at 20°C, Clear, Volatile, Neutral reaction, May generate electrostatic charges

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with (strong) oxidizers: (increased) risk of fire/explosion.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) : Not classified

Hexane-(n) a.r. (110-54-3)	
LD50 oral rat	16000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 3350 mg/kg bodyweight (Equivalent or similar to OECD 402, 4 h, Rabbit, Male, Read-across, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 17.6 mg/l air (Equivalent or similar to OECD 403, 24 h, Rat, Male, Experimental value, Inhalation (vapours))

Skin corrosion/irritation : Causes skin irritation.  
pH: 7 (< 0.01 %, 25 °C)

Serious eye damage/irritation : Not classified  
pH: 7 (< 0.01 %, 25 °C)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility.

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : May cause damage to organs (nervous system) through prolonged or repeated exposure (if inhaled).

Aspiration hazard : May be fatal if swallowed and enters airways.

Hexane-(n) a.r. (110-54-3)	
Viscosity, kinematic	No data available in the literature

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Odour threshold is well above one of the exposure limits, Non-toxic if swallowed (LD50 oral, rat > 5000 mg/kg), May be fatal if swallowed and enters airways, Causes skin irritation, Practically non-toxic in contact with skin (LD50 skin > 2000 mg/kg), May cause drowsiness or dizziness, Slightly harmful by inhalation, Not irritant to eyes, Caution! Substance is absorbed through the skin

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Dangerous for the environment.

Ecology - air : Not included in the list of substances which may contribute to the greenhouse effect (IPCC).  
Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014).  
Photooxidation in the air. Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : Harmful to crustacea (Daphnia). Harmful to fishes. Fouling to shoreline. Toxic to algae.  
Harmful to bacteria.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Not rapidly degradable

### 12.2. Persistence and degradability

Hexane-(n) a.r. (110-54-3)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.



# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hexane-(n) a.r. (110-54-3)

ThOD	3.52 g O <sub>2</sub> /g substance
------	------------------------------------

### 12.3. Bioaccumulative potential

#### Hexane-(n) a.r. (110-54-3)

BCF - Fish [1]	501.187 (Pimephales promelas, Calculated value)
Partition coefficient n-octanol/water (Log Pow)	4 (Experimental value, Equivalent or similar to OECD 107, 20 °C)
Bioaccumulative potential	Potential for bioaccumulation ( $4 \leq \text{Log Kow} \leq 5$ ).

### 12.4. Mobility in soil

#### Hexane-(n) a.r. (110-54-3)

Surface tension	17.89 mN/m (25 °C, 1 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.34 (log Koc, QSAR)
Ecology - soil	Low potential for mobility in soil.

### 12.5. Results of PBT and vPvB assessment

#### Hexane-(n) a.r. (110-54-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Do not discharge into drains or the environment. Dispose of at authorized waste collection point. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals.
Additional information	: Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.
European List of Waste (LoW) code	: 15 01 10* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1208	UN 1208	UN 1208	UN 1208	UN 1208

# Hexane-(n) a.r.

## Safety Data Sheet


according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
<b>14.2. UN proper shipping name</b>				
hexanes	hexanes	hexanes	hexanes	hexanes
<b>Transport document description</b>				
UN 1208 hexanes, 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1208 hexanes, 3, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1208 hexanes, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1208 hexanes, 3, II, ENVIRONMENTALLY HAZARDOUS	UN 1208 hexanes, 3, II, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport

Transport regulations (ADR) : Subject to the provisions  
Classification code (ADR) : F1  
Hazard identification number (Kemler No.) : 33  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : 3YE

#### Transport by sea

Transport regulations (IMDG) : Subject to the provisions  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D

#### Air transport

Transport regulations (IATA) : Subject to the provisions

#### Inland waterway transport

Classification code (ADN) : F1  
Carriage permitted (ADN) : T

#### Rail transport

Transport regulations (RID) : Subject to the provisions  
Classification code (RID) : F1

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Not listed on REACH Annex XVII

###### REACH Annex XIV (Authorisation List)

Not listed on REACH Annex XIV (Authorisation List)

###### REACH Candidate List (SVHC)

Not listed on the REACH Candidate List

###### PIC Regulation (Prior Informed Consent)

Not listed on the PIC list (Regulation EU 649/2012)

###### POP Regulation (Persistent Organic Pollutants)

Not listed on the POP list (Regulation EU 2019/1021)

###### Ozone Regulation (1005/2009)

Not listed on the Ozone Depletion list (Regulation EU 1005/2009)

###### VOC Directive (2004/42)

VOC content : 100 %

###### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

###### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

###### France

Occupational diseases	
Code	Description
RG 59	Occupational poisoning by hexane

###### Germany

- Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
- Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 124).
- Storage class (LGK, TRGS 510) : LGK 3 - Flammable liquids.
- |          |         |          |          |           |
|----------|---------|----------|----------|-----------|
| LGK 1    | LGK 2A  | LGK 2B   | LGK 3    | LGK 4.1A  |
| LGK 4.1B | LGK 4.2 | LGK 4.3  | LGK 5.1A | LGK 5.1B  |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C  |
| LGK 6.1D | LGK 6.2 | LGK 7    | LGK 8A   | LGK 8B    |
| LGK 10   | LGK 11  | LGK 12   | LGK 13   | LGK 10-13 |
- Joint storage not permitted for : LGK 1, LGK 2A, LGK 4.1A, LGK 4.1B, LGK 4.2, LGK 4.3, LGK 5.1A, LGK 5.1C, LGK 5.2, LGK 6.1B, LGK 6.2, LGK 7.
- Joint storage with restrictions permitted for : LGK 5.1B, LGK 6.1D, LGK 11, LGK 10-13.
- Joint storage permitted for : LGK 2B, LGK 3, LGK 6.1A, LGK 6.1C, LGK 8A, LGK 8B, LGK 10, LGK 12, LGK 13.
- Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

###### Netherlands

- ABM category : B(2) - toxic for aquatic organisms
- SZW-lijst van kankerverwekkende stoffen : The substance is not listed

# Hexane-(n) a.r.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van mutagene stoffen	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: hexane is listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed

### Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

### Switzerland

Storage class (LK)	: LK 3 - Flammable liquids
--------------------	----------------------------

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.